

Order form
Purchaser

Valid from October 2015 2014
Order no.

GMW90 CO2 and Temperature Transmitter - Current output

Vaisala Carbocap[®] CO2, Humidity and Temperature Transmitter
2 Output signal 4...20mA

1 2 3 4 5 6 7 8 9 10 11
GMW90 4 A Price



Order form
Purchaser

Valid from October 2015 2014
Order no.

GMW90 CO2 and Temperature Transmitter - Voltage output

		1	2	3	4	5	6	7	8	9	10	11	A	Price
Vaisala Carbocap® CO2, Humidity and Temperature Transmitter		GMW90		3										
2	Output signal	0...10 V 0...5 V	3-wire 3-wire		2 3									
3	Output parameter for CH1	CO2 CO2, free scale T, free scale	0...2000 ppm 0...5000 ppm Define Low High ppm Define Low High °C (°F)		L M N T									
4	Output parameter for CH2	T T CO2, free scale T, free scale	-5...+55 °C (+23...+131 °F) 0...+60 °C (+32...+140 °F) Define Low High ppm Define Low High °C (°F)		E F N T									
5	Display and colour	Standard White (RAL9003, solid cover) Standard White (RAL9003, display cover) <i>Black (RAL9005, solid cover)</i> <i>Black (RAL9005, display cover)</i> No logo, standard White (RAL9003, solid cover) No logo, standard White (RAL9003, display cover) <i>Indicator cover (RAL9003, display and CO2 indicators)</i>			0 1 2 3 8 9 A									
6	Units	Metric Non metric					A B							
7	Display configuration	Default (T, CO2) CO2						A C						
8	Elevation setting	Standard (sea level) Custom	Define m (ft)						0 X					
9	CO2 indicator levels	None Standard Custom	(800,1200 ppm) Define Yellow Red ppm							0 1 X				
11	Quick reference guide	No manual Multilingual for analog devices											0 1	

Accessories:

- TM10SP
- GM10SP Temperature measurement module
- 219980 Connection cable for HM70 hand-held meter
- 219690 USB cable for PC connection

Selections in bold are included in the prices of the basic versions

Selections in italic are available at an extra cost

GMW90|3|2|L|E|1|A|A|0|0|A|1